

# KARAT<sup>®</sup>



®

## NEDERLAND B.V.

- CUSTOM MADE DIAMOND TOOLING FOR WOODWORKING
- CUSTOM MADE PROFILE SANDING SYSTEMS



**OPTIMAXXX  
DIAMOND JOINTERS**



**OPTIMAXXX  
DIAMOND SAW BLADES**



**OPTIMAXXX  
DIAMOND ROUTERS**





**TURBOFLEX PRO  
SANDING SYSTEM**




**TURBOSAND  
SANDING SYSTEM**

# Custom Made Diamond Tools

## Diamond OptimaXXX Jointers




CNC Diamond Profile Routers




Diamond Cutters for Dooring Industry

## CNC Diamond OptimaXXX Routers




CNC Diamond T-Slot Routers




Diamond Cutters for Furniture Industry

## Diamond OptimaXXX Saw Blades



CNC Diamond Adjustable Routers



Diamond High Speed Profile Cutters with Quick Release System



# TURBOSAND™ Sanding Systems

## *Precise as technology can get*



The TurboSand RP head was built specifically to sand raised panels. Using abrasive Turbocaps, the Turbosand RP head minimizes heat and dust build-up. It runs cooler so it can last longer. This system will produce a beautifully sanded surface which will allow your parts to go right into the finishing department.

## *TurboFlex*



TurboFlex is a reliable, very simple to use brush-backed sanding system. It is used in sanding applications such as surface finishing flat panels, moulding (various widths), back cuts on raised panels and outside edges. It can be installed on any sanding spindle.

## *Dangerous curves handled with ease*



Turbosand produces a clean, perfectly cut edge and eliminates the problems of dust build-up and burning. Turbosand is available at different diameters and for various applications.

## *TurboFlex Pro*



TurboFlex Pro is a new patent pending development of TurboSand. It is a brush-backed abrasive flap sander, but with a new feature. The brush and the abrasive are profiled to match your profile. This feature produces a higher quality and more uniform sanding of a profiled surface. After the abrasive wears away, the abrasive refill can be indexed to expose fresh abrasive without replacing. After the second abrasive surface is worn, only the abrasive needs to be replaced and the brush can be used again and again.



# KARAT

NEDERLAND B.V.

The Netherlands  
Rotterdam

[www.karat.nl](http://www.karat.nl)



#### **Karat Nederland B.V.**

Overschiezeweg 87  
3044 EH Rotterdam  
The Netherlands

Postbus 10040  
3004 AA Rotterdam  
The Netherlands

T +31 (0)10 245 26 30  
F +31 (0)10 245 26 40

[www.karat.nl](http://www.karat.nl)  
[karat.nl@karat.nl](mailto:karat.nl@karat.nl)

- **Diamond Tooling:**
  - saw blades
  - routers
  - cutters
  - jointers
  - CNC-tooling
- **Regrinding Service**
- **Sanding Systems**