

Gereedschapopname SK30

Gereedschapopname DIN 69871 voorzien van kogelgelagerde spanmoer en aantrekbout SK 30 DIN 69872 - B

Artikelnummer	Type	A (in mm)
9000.30125050060002	SK 30 ER 25	50
9000.30132050060002	SK 30 ER 32	50
9000.30132057060002	SK 30 ER 32	57
9000.30132063060002	SK 30 ER 32	63
9000.30140057060002	SK 30 ER 40	57
9000.30140063060002	SK 30 ER 40	63
9000.30225071080002	SK 30 1825	71


Gereedschapopname SK30 Biesse

Gereedschapopname DIN 69871 voorzien van kogelgelagerde spanmoer en aantrekbout t.b.v. Biesse vanaf bouwjaar 9/92

Artikelnummer	Type	A (in mm)
9000.30125050060005	SK 30 ER 25	50
9000.30132050060005	SK 30 ER 32	50
9000.30132057060005	SK 30 ER 32	57
9000.30132063060005	SK 30 ER 32	63
9000.30140057060005	SK 30 ER 40	57
9000.30140063060005	SK 30 ER 40	63
9000.30225071080005	SK 30 1825	71

Afbeelding:

Aantrekbout Biesse SK 30
Opname SK 30 ER 32 A=63
Spantang
Spanmoer KL OZ ER 32



Gereedschapopname SK30 SCM

Gereedschapopname DIN 69871 voorzien van kogelgelagerde spanmoer en aantrekbout SCM

Artikelnummer	Type	A (in mm)
9000.30SCM1320550600	SK 30 SCM ER 32	50
9000.30SCM2250720800	SK 30 SCM 1825	63

Gereedschapopname ISO 30

Gereedschapopname DIN 69871 voorzien van kogelgelagerde spanmoer en aantrekbout CMS

Artikelnummer	Type	A (in mm)
9000.30I132050060008	ISO 30 ER 32	50
9000.30I132055060008	ISO 30 ER 32	55
9000.30I132060060008	ISO 30 ER 32	60
9000.30I225070080008	ISO 30 1825	70
9000.30IETS320461100	ISO 30 ETS 32	46
9000.30IETS400601100	ISO 30 ETS 40	60

Gereedschapopname SK40

Gereedschapopname DIN 69871 voorzien van kogelgelagerde spanmoer en aantrekbout

Artikelnummer	Type	A (in mm)
9000.40S132050060002	SK 40 ER 32	50
9000.40S140063060002	SK 40 ER 40	63
9000.40S225070080002	SK 40 1825	70

Gereedschapopname HSK 63 E

Gereedschapopname DIN V 69893-5 Form E voorzien van kogelgelagerde spanmoer

Artikelnummer	Type	A (in mm)
9000.63E125070060060	HSK 63 E ER 25	70
9000.63E132070060060	HSK 63 E ER 32	70
9000.63E140076060060	HSK 63 E ER 40	76
9000.63E225076080080	HSK 63 E 1825	76


Gereedschapopname HSK 63 F

Gereedschapopname DIN V 69893-6 Form F voorzien van kogelgelagerde spanmoer

Artikelnummer	Type	A (in mm)
9000.63F125070060	HSK 63 F ER 25	70
9000.63F132070060	HSK 63 F ER 32	70
9000.63F140076060	HSK 63 F ER 40	76
9000.63F225076080	HSK 63 F 1825	76
9000.63F225115080	HSK 63 F 1825	115
9000.63F2259115080	HSK 63 F 1825	115 GR=9

Afbeelding:

Houder HSK 63 F ER 40 A=76
Spantang
Spanmoer KL OZ ER 40



Krimopname HSK-F 63

Gereedschapopname DIN V 69893-6

Artikelnummer	Type	A (in mm)
9000.63F010075	HSK-F 63 D10	75
9000.63F012075	HSK-F 63 D12	75
9000.63F014075	HSK-F 63 D14	75
9000.63F016075	HSK-F 63 D16	75
9000.63F018075	HSK-F 63 D18	75
9000.63F020075	HSK-F 63 D20	75
9000.63F025075	HSK-F 63 D25	75


Spantang

Artikelnummer *	DIN	Type	Afm. (in mm)
9000.41000.000dd		410 E	40,0 x 22,9
9000.42800.000dd		428 E	31,5 x 21,0
9000.43000.000dd		430 E	34,0 x 26,0
9000.44400.000dd	6388	444 E	52,0 x 33,1
9000.46200.000dd	6388	462 E	52,0 x 33,1
9000.47000.000dd	6499	470 E ER 32	40,0 x 32,8
9000.47200.000dd	6499	472 E ER 40	46,0 x 40,8

* dd = diameter

Afbeelding:

Krimopname HSK-F 63



Freesdoorn HSK 63 F

Freesdoorn HSK 63 F voorzien van
2 spiebanen 8x2 en aanspanbout 2-delig M16

Artikelnummer	A	L	D
9000.63F330045040	45	40	30
9000.63F330045050	45	50	30
9000.63F330045055	45	55	30
9000.63F330045060	45	60	30
9000.63F330045080	45	80	30
9000.63F330045100	45	100	30
9000.63F330075040	75	40	30
9000.63F330075050	75	50	30
9000.63F330075060	75	60	30
9000.63F330075080	75	80	30
9000.63F330075100	75	100	30
9000.63F330080080	80	80	30

Freesdoorn HSK 85 Weinig

Freesdoorn HSK 85 Weinig 2-delig M16 voorzien van
meeneemgaten TK36/TK48/TK64 2xM6 2xD6

Artikelnummer	TK	A	L	D
9000.85W430026040	48	26	40	30
9000.85W430026060	48	26	60	30
9000.85W430026080	48	26	80	30
9000.85W430026130	48	26	130	30
9000.85W430026170	48	26	170	30
9000.85W440026040	54	26	40	40
9000.85W440026060	54	26	60	40
9000.85W440026080	54	26	80	40
9000.85W440026100	54	26	100	40
9000.85W440026130	54	26	130	40
9000.85W440026170	54	26	170	40
9000.85W440026240	54	26	240	40
9000.85W450026040	64	26	40	50
9000.85W450026060	64	26	60	50
9000.85W450026080	64	26	80	50
9000.85W450026100	64	26	100	50
9000.85W450026130	64	26	130	50
9000.85W450026150	64	26	150	50
9000.85W450026170	64	26	170	50
9000.85W450026180	64	26	180	50
9000.85W450026240	64	26	240	50


Freesdoorn HSK 63 F

Freesdoorn HSK 63 F 2-delig M10 voorzien van
meeneemgaten TK36/TK48 2xM6 2xD6

Artikelnummer	TK	A	L	D
9000.63F420045055	36	45	55	30
9000.63F420045080	36	45	80	30
9000.63F420045100	36	45	100	30
9000.63F420080055	36	80	55	30
9000.63F420080070	36	80	70	30
9000.63F420080080	36	80	80	30
9000.63F420080100	36	80	100	30
9000.63F430045020	48	45	20	30
9000.63F430045040	48	45	40	30
9000.63F430045055	48	45	55	30
9000.63F430045080	48	45	80	30
9000.63F430045100	48	45	100	30
9000.63F430075040	48	75	40	30
9000.63F430075055	48	75	55	30
9000.63F430075080	48	75	80	30
9000.63F430080080	48	80	80	30

Afbeelding:

Freesdoorn HSK 63 F
met spiebaan



Afbeelding:

Freesdoorn HSK 63 F
v.z.v. meeneemgaten

